



ASIGA®

3D Printers for Audiology

Repeatable precision for quality assurance and patient comfort.



Being the creators of the precision desktop 3D printer market, we continue to offer precision, surface finish and product innovations designed to outperform any other.



"Asiga 3D printers have demonstrated excellent performance across our production sites globally and will be a valued partner as we continue to expand our digital production capabilities."

Sebastian Blachura, Technical Support Manager, DGS PL



"GN Resound is a global leader in intelligent audio solutions and we print with confidence on the Asiga MAX UV."

Mehdi Hoorzad, Process Development Director, GN Resound



"Asiga has become our 3D printing vendor of choice."

Christopher Marxen, Sr. Director Strategic Initiatives



"The Asiga Max has taken our production of THERMOtec[®] earmoulds to a new level. Asiga will continue to be our first choice when it comes to 3D printer systems."

Sascha Matulla, Lab Manager, HEBA-OTOPLASTIK



"Reliability, performance, ease of use, there is no doubt Asiga bring you the future in the present. As a specialist 3D trainer I know the 3D printer market and with confidence, can confirm that the ASIGA MAX UV is the best printer to help bring success to your business.."


Xavier Martínez Rubio, Documentation & Training Manager, Microson



Our Process Monitoring Technologies explained. These technologies ensure every layer is formed accurately resulting in a reliable output for quality assurance and patient safety.

Smart Positioning System (SPS)

Asiga's Smart Positioning System (SPS) is a series of positioning encoders that read the exact position of the build platform during every layer approach. This ensures that the next layer is exposed/formed only once the build platform target position has been reached. This is the first step in ensuring each layer is formed accurately.



Internal radiometer

An internal radiometer actively monitors LED intensity during every build ensuring the correct light exposure is delivered for each layer.

High power UV 385nm LED

Why 385nm UV LEDs? 3D materials cure faster at deeper UV wavelengths (385nm) reducing XY scattering and over-cure. The result is consistent accuracy, production reliability and the ability to process water-clear materials.

Small pixel and accurate pixel placement

Pixel size and pixel placement are crucial for reproducing digital data accurately. For audiology, we recommend pixel sizes between 60 - 80µm depending on application.

Precise material curing

Our Open Material System allows for any suitable material to be printed. Material curing parameters for each material are generated by Asiga ensuring materials are cured accurately for repeatable results.

Our end user features.
3D printing made intuitive and simple.

Open Material System

Over 380 optimized material profiles available via the Asiga Material Library online.
Fully Open - print any suitable material from any manufacturer

Single Point Calibration

Calibrate printer in under 60 seconds

30 Second Material Change

Change-over materials in less than 30 seconds with no calibration required

Auto Power-Off

Energy saving mode and auto-recovery

Environmental Control

Onboard heater for reliable performance

Remote access and control

Streamlined integration into your digital workflow

Touch Screen Display

For greater user convenience

ASIGA[®]
WARNING
REMOVE ALL SOLID DEBRIS
FROM FILM BEFORE STARTING
NEXT BUILD

0.5L ●
1L ○
2L ○
5L ○
10L ○

PRO 4K

Floor Standing | Powerful | Volume production



MAX UV

Desktop | Powerful | Compact



3D printers for digital Audiology manufacturing

3D PRINTER RANGE
Our 3D printers for Audiology


MAX UV

Minimum footprint, maximum productivity.

The Asiga MAX™ UV is the world's most advanced 3D printer offering exceptional productivity in a small footprint. With 62µm HD print precision, the MAX™ UV is optimized for producing earshells, earmoulds, IEM's and silicone earmoulds in both lab and clinical environments.

Annual production: 60,000 plus earshells / earmoulds per year.

MAX UV
3D printer for audiology



Printer Performance

Print capacity	22 earshells per build
Print speed - 100µm layers	40 minutes
Print cost per shell (USD)	\$0.50 weight/material dependant
Annual output	60,000 plus units per year

Product specification

Build Volume X, Y, Z	119 x 67 x 76mm. 4.68 x 2.63 x 3 inches
Pixel Resolution	62µm
Technology	DLP
LED Wavelength	385nm (high power UV LED)
Material Compatibility	Open Material System including materials from Dreve, Detax, Pro3dure, Egger, Deltamed & more.
Production	Earshells, Earmoulds, Silicone Earmoulds, In-Ear-Monitors (IEM)
Software	Asiga Composer software. Lifetime updates included
File inputs	STL, SLC, STM (Asiga Stomp file format)
Network Compatibility	Wifi, WirelessDirect, Ethernet
Power requirements	100-240VAC, 50/60Hz, 2.0A MAX
System sizing	260 x 380 x 370mm /16.50Kg. 10.2 x 15 x 14.5 inches / 36.4Lbs
Packed sizing	410 x 500 x 480mm / 19Kg. 16.1 x 19.7 x 18.9 inches / 41.9Lbs
Warranty	12 months manufacturers warranty
Technical support	Unlimited lifetime technical support included
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit

* Contact Asiga for information regarding material biocompatibility certification in your region




PRO 4K

The ultimate in 4K DLP imaging technology.

The PRO 4K utilises the latest DLP imaging technology to achieve the largest print envelope in our range, with precision, reliability and speed for the most demanding production applications.

Annual production: 130,000 plus earshells / earmoulds per year (PRO 4K80 UV).




Printer Performance (PRO 4K80 UV)

Print capacity	70 earshells per build
Print speed - 100µm layers	40 minutes
Print cost per shell (USD)	\$0.50 weight/material dependant
Annual output	130,000 plus units per year

Product specification

	PRO 4K65 UV		PRO 4K80 UV	
Build Volume X, Y, Z	176.5 x 99 x 200mm.	6.94 x 3.9 x 7.87 inches	217 x 122 x 200mm.	8.54 x 4.8 x 7.87 inches
Pixel Resolution	65µm		80µm	
Technology	DLP		DLP	
LED Wavelength	385nm (high power UV LED)		385nm (high power UV LED)	
Material Compatibility	Open Material System including materials from Dreve, Detax, Pro3dure, Egger, Deltamed & more.			
Production	Earshells, Earmoulds, Silicone Earmoulds, In-Ear-Monitors (IEM)			
Software	Asiga Composer software. Lifetime updates included			
File inputs	STL, SLC, STM (Asiga Stomp file format)			
Network Compatibility	Wifi, WirelessDirect, Ethernet			
Power requirements	100-240VAC, 50/60Hz, 500 Watts (100V - 5Amp Max. 240V - 2.1Amp)			
System sizing	465 x 420 x 1370mm / 130Kg.	18.3 x 16.5 x 53.9 inches / 286Lbs		
Packed sizing	975 x 735 x 1590mm / 150Kg.	38.3 x 28.9 x 62.6 inches / 330Lbs		
Warranty	12 months manufacturers warranty			
Technical support	Unlimited lifetime technical support included			
Bundle includes	3D printer, Composer software, 1Kg Asiga material, 1L build tray, Asiga Flash post-curing chamber, calibration toolkit			

* Contact Asiga for information regarding material biocompatibility certification in your region.



Composer is the software interface to all our 3D Printers. Powerful, intuitive and free.

Automatic Support and Part Placement

For fast build processing and greater user efficiency

Build Time Estimator

Effectively schedule your production workflow

Multi-Stacking included

Maximize Z height usage and build multiple levels of parts

Simple & Intuitive

Submit builds within a minimal number of clicks

Dynamic Part Array

Place parts based on geometry to maximize available build area

Load and Process Multiple Builds

Manage multiple builds at the same time in a simple tab based interface

Remote Control

Access your printer via a simple web interface

Compatible with
Apple, Windows, Linux



Complete your digital workflow
with our industry leading partners.

3D Scanning

Patient impression digitised



3D Design

Earshell and earmold 3D CAD designed



3D Printing

Manufacture / 3D print the Earshell or Earmould
using certified biocompatible resins.



The product.



Open material system offering flexibility and the widest material choice of any system on the market. Asiga printers are compatible with the following material manufacturers.

DETAX



pro**3d**ure
medical

egger

DeltaMed
TURNING IDEAS INTO MATERIALS



Full compatibility with leading 3D scanning and digital design software providers.

3shape 

smart optics

 Cyfex

ASIGA

CARE POLICY
Lifetime Technical Support

Free and unlimited lifetime technical support. Local sales, service and support via our global reseller network.

In 2011, Asiga launched the world's first LED based DLP 3D printer and started the affordable desktop stereolithography revolution which changed digital manufacturing forever.

Asiga won the MJSA's 2012 Thinking Ahead award for best new technology and gained international recognition for innovative products which continue to lead their respective categories to this day.

Asiga designs and manufactures all products at it's headquarters in Sydney, Australia. Asiga's in-house mechanical, electrical, software and materials team ensures continued innovation and product improvement.

Contact us or one of our resellers to learn more.

Asiga Australia (HQ)
Factory 2, 19-21 Bourke Road
Alexandria, Sydney 2015
Australia
TEL: +61 2 9690 2737

Asiga Germany
Kraempferstr. 4
99084, Erfurt
Germany
TEL: +49 361 5506 6866

Asiga USA
TOLL FREE: +1 877 689 99 98

info@asiga.com
www.asiga.com

Affordable Digital Manufacturing, it's something Asiga invented.

COMPANY
Who we are and what we do



